

Planarcore® PVA Brushes

Rapid changeout and high performance for the most critical post CMP clean applications

Planarcore® PVA brushes are designed to deliver superior performance and wafer-to-wafer uniformity in post-CMP wafer cleaning applications. The unique *molded-through-the-core* technology provides absolute adhesion of the PVA (polyvinyl alcohol) to the brush core, unlike standard PVA products that are merely friction fitted to the core. The dimensional stability and core flow equalization of disposable Planarcore PVA brushes also eliminate the uncertainty associated with stand-alone and pre-mounted PVA products. PVA slippage, expansion and loss of concentricity are no longer a concern with the superior performance of Planarcore PVA brushes from Entegris.


Reduces Downtime on Tool

Molded-through-the-core technology guarantees a perfect fit every time. No operator errors or inconsistencies to worry about. Gapping is quicker and easier, as the dimensional stability and concentricity from brush to brush do not waver. From first wafer to last wafer, the Planarcore brush and gap remain the same, ensuring process stability.

Efficient cleaning processes in Planarcore brush manufacturing reduce fab-based flush-up and brush break-in times. Quicker CMP tool start-up benefits throughput.

Decreases Defectivity on Wafer

Reduced particle counts on wafer are the result of cleaner PVA, dimensional consistency, and flow equalization, which combine to deliver the most consistent performance wafer-to-wafer in the industry.




FEATURES & BENEFITS


Molded-through-the-core construction	<p>Allows rapid and consistent installation on tools, reducing system downtime</p> <p>Eliminates alignment and gapping problems, increasing system throughput</p> <p>PVA remains dimensionally stable due to the molded-through-the-core technology; will not lose concentricity during use</p>
High-purity PVA	<p>Molded-through-the-core construction allows for more efficient cleaning of PVA in manufacture</p> <p>Brush break-in and flush-up time is dramatically reduced</p> <p>Low extractables and reduced particle counts on wafers</p>
Close-molded technology	<p>The Planarcore brush design equilibrates flow through the brush, eliminating the risk of non-repeatable and non-predictable performance due to inconsistent flow rates through the length of the brush, as seen in standard designs</p>

DIMENSIONS


PVAOLOTR4




PVAOEEPR4




PVAOEF2R4



PVAOEF3R4



PVAOEF3T1



ORDERING INFORMATION

Planarcore PVA Brushes: part number

PVA0



Machine**

LOT = Lam/OnTrak® 200 mm platform
EEP = Ebara® EPO-222 200 mm platform
EF2 = Ebara F*Rex 200 mm platform
EF3 = Ebara F*Rex 300 mm platform

Packing

R4 = 4 units/box
T1 = 1 unit/box*

*PVAOEF3T1 = Ebara F*Rex 300 mm brush with modified PVC core.

**Other configurations and platforms available upon request.

FOR MORE INFORMATION

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit entegris.com and select the [Contact Us](#) link to find the customer service center nearest you.

TERMS AND CONDITIONS OF SALE

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, visit entegris.com and select the [Terms & Conditions](#) link in the footer.



Corporate Headquarters

129 Concord Road
Billerica, MA 01821
USA

Customer Service

Tel +1 952 556 4181
Fax +1 952 556 8022
Toll Free 800 394 4083

Entegris®, the Entegris Rings Design®, and other product names are trademarks of Entegris, Inc. as listed on entegris.com/trademarks. All third-party product names, logos, and company names are trademarks or registered trademarks of their respective owners. Use of them does not imply any affiliation, sponsorship, or endorsement by the trademark owner.

©2001-2019 Entegris, Inc. | All rights reserved. | Printed in the USA | 4423-5033ENT-0319